Technical Datasheet

MISKY - MISKY



Product Code: 79597 Anti-fungal additive

DESCRIPCIÓN

Ready-to-use fungicidal agent. Formulated with heterocyclic compounds that provide an intense and long-lasting broad-spectrum action against mould, fungi, and algae. Suitable for water-based emulsions and acrylic paints and coatings.

USE: INTERIOR - EXTERIOR

This anti mould additive has been professionally developed and tested to ensure it effectively prevents mould growth. Prevents mould and mildew from appearing, even in rooms that suffer from condensation like bathrooms and kitchens.

PROPERTIES

- Excellent fungicidal power
- · Broad spectrum of activity
- Easy dispersion and homogenization with the paint
- Does not alter the paint's characteristics
- Maintains its properties over time

Aspect: Viscous

Colour: White

Density: $1,19 \pm 0.05 \text{ g/cc S/FR}1001$

Drying: Does not affect the drying time of the paint

Min. Repaint time: As per paint type used

Max. Repaint time: As per paint type used

Thinner: Do not dilute

Coverage: Mix with 15L paint per bottle (0,125 L)

Solubility: Dispersible; the active ingredients are

virtually insoluble in water

Flash point: Not flammable

79597 WHITE



Format: 0,125 L

The information contained in this technical data sheet may change and should be updated, Please consult www,juno,es or your nearest JUNO representative for the most recent technical data sheet. Technical application advice, whether verbal, written, or based on tests, is based on JUNO's experience and technical knowledge. The data provided in this document should be considered a recommendation and does not imply any commitment, including regarding potential industrial property rights of third parties. The application, use, and transformation of products supplied by JUNO are carried out by third parties. Consequently, the final result is the sole responsibility of the customer, applicator, or handler of the products, and not the supplying company. This document does not exempt the customer from conducting their own examination of the supplied products to verify their suitability for the intended procedures and purposes. In case of liability assumed by JUNO, it will be limited to the strict value of the goods supplied and used by the customer required soles for any dampages incurred. If JUNO aurgrates the qualifier is products in accordance with the current General Soles Conditions.

Industrias JUNO, S.A. • Barrio Sakoni, 10 • 48950 Erandio (Bizkaia) • Tel. 944 670 062 • infoweb@juno.es • www.juno.es

June 2016 Rev. 07 1 / 2

Technical Datasheet MISKY - MISKY



Product Code: 79597 Anti-fungal additive

SURFACE PREPARATION

Proper preparation and cleaning of the substrate on which the paint will be applied is crucial for achieving good results. Follow the recommended surface preparation for the specific paint used.

PATHOLOGIES

Mould Contamination: Clean stains vigorously and disinfect with **Junoclean (760.180)**. Rinse with water and allow to dry completely. Use paints with anti-mold preservatives or add **Misky-Misky (79.597)** additive.

APPLICATION TIPS

Add the contents of 0.125L bottle to every 15L of paint and stir until you are sure the product is evenly mixed into the paint. Follow the recommended application guidelines for the specific paint used.

SAFETY AND ENVIRONMENT

Ensure the product is handled in a well-ventilated area and with the necessary protection equipment. Avoid contact with skin and eyes by using gloves and protective eyewear. In case of splashes, wash thoroughly with plenty of water. For more information, consult the Safety Data Sheet.

Store any leftover material in a ventilated, dry place. Seal containers carefully and keep them upright to prevent spills. Protect containers from freezing, high temperatures, and direct sunlight.

Do not eat, drink, or smoke during the preparation and application of the product. Keep out of reach of children.

Do not pour into drains or the environment. Dispose of at an authorized waste collection point.

Consult your local council for proper recycling of both the container and paint waste in accordance with legal and environmental respect principles.

The information contained in this technical data sheet may change and should be updated. Please consult www,juno,es or your nearest JUNO representative for the most recent technical data sheet.

Technical application advice, whether verbal, written, or based on tests, is based on JUNO's experience and technical knowledge. The data provided in this document should be considered a recommendation and does not imply any commitment, including regarding potential industrial property rights of third parties. The application, use, and transformation of products supplied by JUNO are carried out by third parties. Consequently, the final result is the sole responsibility of the customer, applicator, or handler of the products, and not the supplying company. This document does not exempt the customer from conducting their own examination of the supplied products to verify their suitability for the intended procedures and purposes. In case of liability assumed by JUNO, it will be limited to the strict value of the goods supplied and used by the customer, regardless of any damages incurred. JUNO guarantees the quality of all its products in accordance with the current General Sales Conditions.

Industrias JUNO, S.A. • Barrio Sakoni, 10 • 48950 Erandio (Bizkaia) • Tel. 944 670 062 • infoweb@juno.es • www.juno.es

June 2016 Rev. 07 2 / 2